Date: 10.03.2025

Former date: 14.03.2023

# The safety data sheet is in accordance with Commission Regulation (EU) 2020/878 of 18 June 2020 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING				
1.1	Product identifier			
	Trade name PRE-ELEC TPU 18600			
	Company product code TPU18600			
	Reach registration number			
	<b>Product definition</b> Mixture containing carbon black. Also covers the nanoform of carbon black. In the proc	duct carbon black is bound in the base polymer		
1.2	Relevant identified uses of the substance or mixed			
	The uses of the chemical Production of electrostatic conductive products			
	Classification of economic activities (NACE)	C20.16		
	Main intended use	PC-TEC-16 Polymer preparations and compounds		
	Industrial use	Yes		
	Professional use	Yes		
	Consumer use	No		
1.3	Details of the supplier of the safety data sheet Manufacturer, importer, other undertaking	PREMIX OY		
	Street address	Muovitie 4		
	Postcode and post office	FIN-05200 Rajamäki		
	Post-office box	P.O.Box 12		
	Postcode and post office	FIN-05201 Rajamäki		
	Telephone number	+358 9 878 041		
	Telefax	+358 9 878 04400		
	Web page	www.premixgroup.com		
	Finnish Business ID (Y code)	FI32443519		
1.4	<b>Emergency telephone number</b> Emergency telephone number (Europe): 112 Other countries: check local emergency number			
	Poison Information centre (Finland) open 24 h daily: - P.O. Box 790 (Tukholmankatu 17), 00029 HUS	+358 800 147 111 or +358 9 471 977		
SECTIO	ON 2: HAZARDS IDENTIFICATION			
2.1	Classification of the substance or mixture Not classified as a hazardous mixture according the 0	CLP regulation (EU 1272/2008).		
2.2	Label elements No labeling. In accordance with current regulations, th	nis product has not been classified as hazardous.		

Date: 10.03.2025

Former date: 14.03.2023

# 2.3 Other hazards

Carbon black in particulate form (dust) is listed as a possible carcinogen to humans (group 2B) by the International Agency for Research on Cancer (IARC). In the product, carbon black is bound in the base polymer and exposure to dust containing carbon black can be ruled out in normal use. The product does not contain any known or suspected endocrine disruptors. PBT/vPvB assessment: see point 12.5.

# SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

# 3.2 Mixtures

The product is a compound containing thermoplastic polyurethane and carbon black.

CAS/EC number and the registration number	Name of the ingredient	Concentration	Classification
CAS 1333-86-4 EC 215-609-9	Carbon black	10 – 30 %	Not classified, national occupational exposure limit value

Carbon black is in nanoform. In the product, carbon black is bound in the base polymer.

# SECTION 4: FIRST AID MEASURES

# 4.1 Description of first aid measures

# General

If the situation is unclear or symptoms persist, seek medical attention.

# Inhalation

If symptoms occur, move the exposed person to fresh air and keep under observation. Get medical attention if symptoms persist or are severe.

# Skin contact

Rinse with water. In case of skin contact with molten plastic, cool the skin rapidly with water. Do not attempt to remove plastic glued to burnt skin without medical assistance.

# Eye contact

Immediately flush eyes with plenty of water. Carefully remove any particles remaining under the eyelids. Seek medical attention if eye irritation persists.

# Ingestion

Do not induce vomiting. Rinse the mouth with water and give 1–2 glasses of water to drink. Get medical advice/attention if the exposed person feels unwell.

# **4.2 Most important symptoms and effects, both acute and delayed** Skin contact with molten plastic causes thermal burns.

**4.3** Indication of any immediate medical attention and special treatment needed Treat symptomatically.

# **SECTION 5: FIREFIGHTING MEASURES**

# 5.1 Extinguishing media

- Water spray, foam, carbon dioxide (CO<sub>2</sub>)
- 5.2 Special hazards arising from the substance or mixture
- Oxides of carbon and hydrocarbon fragments.
- **5.3** Advice for firefighters Wear appropriate protective equipment and self-contained breathing apparatus.

# SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 **Personal precautions, protective equipment and emergency procedures** No special precautions needed.

# 6.2 Environmental precautions

- Do not let the granules contaminate sewers, waters or soil.
- 6.3 Methods and material for containment and cleaning up
  - Sweep up the spill and place in suitable container for use or disposal.

Date: 10.03.2025

Former date: 14.03.2023

# 6.4 Reference to other sections

See section 7 for safe handling. See section 8 for personal protective equipment. See section 13 for waste disposal.

# SECTION 7: HANDLING AND STORAGE

# 7.1 Precautions for safe handling Handle in accordance with good industrial hygiene and safety practices. Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Wash hands before breaks and at the end of workday. Wash contaminated clothes before reuse.

- 7.2 Conditions for safe storage, including any incompatibilities Store in a dry place.
   7.2 Specific and use(a)
- 7.3 Specific end use(s) None reported.

# SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

# 8.1 Control parameters

# National occupational exposure limit values

Carbon black CAS No.: 1333-86-4

# Limit value (long-term exposure)

3.5 mg/m3 (8 h) Country of origin: United Kingdom

3.5 mg/m3 (8 h) Country of origin: Finland

# Limit value (short-term exposure)

7 mg/m3 (15 min) Country of origin: United Kingdom

7 mg/m3 (15 min) Country of origin: Finland

Other limit values N/A DNEL N/A PNEC N/A

# 8.2 Exposure controls

# Appropriate engineering controls

Provide adequate ventilation, use local exhaust ventilation if necessary. **Eye/face protection** Wear suitable protective goggles if there is a risk of eye contact. **Skin protection** Normal work clothing. **Hand protection** Use appropriate protective gloves when handling the product. **Respiratory protection** If it is not possible to reduce exposure levels to below exposure limit values by ventilation, use an appropriate respirator. **Thermal hazards** 

Date: 10.03.2025

Former date: 14.03.2023

Molten plastic may cause thermal burns. Wear appropriate heat resistant protective clothing and gloves if needed.

Environmental exposure controls Do not let the granules contaminate sewers, waters or soil.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES				
9.1 Information on basic physical and chemical properties				
Appearance	solid, granule			
Odour	characteristic odour			
Odour threshold	Not applicable.			
рН	Not applicable			
Melting point/freezing point	Melting range 140–170 °C			
Initial boiling point and boiling range	Not applicable			
Flash point	> 350 °C			
Evaporation rate	Not applicable			
Flammability (solid, gas)	Not flammable.			
Upper/lower flammability or explosive limits	Not applicable			
Vapour pressure	Not applicable			
Vapour density	Not applicable			
Particle characteristics	Carbon black: Nanoform			
	Comments: In the product, carbon black is bound in plastic and risk of exposure to carbon black as dust can be ruled out in normal use.			
Relative density	1.1 - 1.3 g/cm3			
Solubility(ies)	Insoluble in water			
Partition coefficient: n-octanol/water	Not applicable			
Auto-ignition temperature	Not determined			
Decomposition temperature	Not determined			
Viscosity	Not applicable			
Explosive properties	Not classified as explosive.			
Oxidising properties	Not classified as oxidising.			

## 9.2 Other information

None.

SECTION 10: STABILITY AND REACTIVITY				
10.1	Reactivity			
	Not reactive under normal use and storage conditions.			
10.2	Chemical stability			
	Stable under normal storage and handling conditions.			
10.3	Possibility of hazardous reactions			
	No known dangerous reactions under normal use and storage conditions.			
10.4	Conditions to avoid			
	Heat.			
	Do not allow product to remain in barrel at elevated temperatures for extended period of time.			

Date: 10.03.2025

Former date: 14.03.2023

# 10.5 Incompatible materials

 No known incompatible materials.
 Hazardous decomposition products Oxides of hydrocarbon fragments.

# SECTION 11: TOXICOLOGICAL INFORMATION

# 11.1 Information on toxicological effects

# Acute toxicity

The product is not classified as acute toxic. There is no toxicity data available for the product as such.

Carbon black: LD50 (oral, rat): > 8000 mg/kg.

In the compound, the carbon black is bound in the base polymer.

# Skin corrosion/irritation

The product is not classified as corrosive/irritant.

# Serious eye damage/irritation

The product is not classified as corrosive/irritant.

# Respiratory or skin sensitisation

The product is not classified as a sensitiser.

# Germ cell mutagenicity

The product is not classified as mutagenic.

# Carcinogenicity

The product is not classified as carcinogenic.

Carbon black is listed as a possible carcinogen to humans (group 2B) by the International Agency for Research on Cancer (IARC), but is not listed as a carcinogen by U.S. National Toxicity Program (NTP) or U.S. Occupational Safety and Health Administration (OSHA).

# Reproductive toxicity

The product is not classified as a reproductive toxicant.

# STOT-single exposure

The product is not classified as toxic to specific target organs through single exposure.

# STOT-repeated exposure

The product is not classified as toxic to specific target organs through prolonged or repeated exposure.

# Aspiration hazard

The product is not classified as hazardous with aspiration.

# 11.2 Other information

# **Endocrine disruption**

The product does not contain any known or suspected endocrine disruptors

# **SECTION 12: ECOLOGICAL INFORMATION**

# 12.1 Toxicity

The product is not classified as hazardous for environment. There is no ecotoxicity data available for the product as such.

Carbon black: fish: LC50 (96 h) > 100 mg/L (Brachydanio rerio, OECD 203) water flea: EC50 (24 h) > 5600 mg/L (Daphnia magna, OECD 202) algae: EC50 (72 h) > 10.000 mg/L (Scenedesmus subspicatus). In the compound, the carbon black is bound in the base polymer.

Date: 10.03.2025

Former date: 14.03.2023

12.2	Persistence and degradability		
	Not biodegradable.		
12.3	Bioaccumulative potential		
	Not bioaccumulative.		
12.4	Mobility in soil		
	Insoluble in water.		
12.5	Results of PBT and vPvB assessment		
	Chemical safety assessment has not been performed for the product, no information available about		
	ingredients.		
12.6	Endocrine disrupting properties		
	The product does not contain any known or suspected endocrine disruptors.		
12.7	Other adverse effects		
	None reported.		
SECTI	ON 13: DISPOSAL CONSIDERATIONS		
13.1	Waste treatment methods		
	The product is not considered hazardous waste.		
	Reuse or recycle if possible. Dispose of according to national and local regulations.		
	, , , , , , , , , , , , , , , , , , ,		
SECTI	ON 14: TRANSPORT INFORMATION		
14.1	UN number		
	The product is not classified for transportation.		
14.2	UN proper shipping name		
	N/A		
14.3	Transport hazard class(es)		
	N/A		
14.4	Packing group		
	N/A		
14.5	Environmental hazards		
	none		
14.6	Special precautions for user		
	none		
14.7	Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code		
	N/A		
SECT	ON 15: REGULATORY INFORMATION		
<u>15.1</u>	Safety, health and environmental regulations/legislation specific for the substance or mixture		
	No specific regulations.		
15.2	Chemical safety assessment		

15.2 Chemical safety assessment Chemical safety assessment has not been performed for the product, no information available about ingredients.

# **SECTION 16: OTHER INFORMATION**

Changes to the previous version 13.10.2022: Update according to Annex II of the REACH Regulation ([EU] 2020/878).

# **Glossary of abbreviations**

DNEL: Derived No-Effect Level EC50: Effective concentration 50% LC50: Lethal concentration 50% LD50: Lethal dose 50% PNEC: Predicted No-Effect Concentration

# References

Previous version of the SDS 21.3.2022. Decree on Concentrations known to be Hazardous 654/2020 (HTP-arvot 2020), Finland. EH40/2005 Workplace exposure limits (4th ed, 2020).

Date: 10.03.2025

Trade name: PRE-ELEC TPU 18600

Former date: 14.03.2023

Procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]

List of relevant hazard and precautionary statements

Training appropriate for workers Read the safety data sheet.

# Other information

-